



Valid from March 1st 2017

REFERENCE SERIES

RCD-101



SPECIFICATIONS

Product Type:	CD Player / DAC
CD Mechanism:	Sony DSD (Modified by Vitus Audio)
Master Clock / DAC:	24.576 MHz
Samplerate / Resolution:	32-192 Khz / 24bit
Digital Inputs:	1xDigital RCA(S/PDIF) / 1xDigital XLR(AES/EBU) / 1xUSB (upto2xDSD)
Input Impedance:	110Ω XLR digital / 75Ω RCA digital
Outputs:	1xXLR analog / 1xRCA analog / 1xDigital XLR(AES/EBU) / 1xDigital RCA(S/PDIF)
Remote Control:	Apple Remote included
Power Cable:	Not included
Dimensions:	100(H) x 435(W) x 377(D)mm
Weight:	12,5Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
410103	RCD-101-Silver	CD-Player with DAC	€ 11.500
410101	RCD-101-Black	CD-Player with DAC	€ 11.500
410102	RCD-101-White(madetoorder)	CD-Player with DAC	€ 13.225
410104	RCD-101-Champagne(madetoorder)	CD-Player with DAC	€ 13.225
410105	RCD-101-Bespoke(madetoorder)	CD-Player with DAC	€ 13.800


RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

REFERENCE SERIES

RD-100



SPECIFICATIONS

Product Type:	True Balanced DAC / Preamp
Master Clock / DAC:	24.576 MHz
Digital Inputs:	2xDigital RCA(S/PDIF), 2xDigital XLR(AES/EBU), 1xOptical, 1xUSB
Analog Inputs:	1xAnalog XLR, 1xAnalog RCA
Input Impedance:	Digital 110Ω XLR - 75Ω RCA / Analog 10kΩ XLR-10kΩ RCA
Outputs:	1xXLR analog/1xRCA analog
Remote Control:	Apple Remote Included
Power Cable:	Not included
Dimensions:	100(H) x 435(W) x 377(D)mm
Weight:	12Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
410202	RD-100-Silver	DAC with Preamp	€ 9.500
410200	RD-100-Black	DAC with Preamp	€ 9.500
410201	RD-100-White(madetoorder)	DAC with Preamp	€ 10.925
410203	RD-100-Champagne(madetoorder)	DAC with Preamp	€ 10.925
410204	RD-100-Bespoke(madetoorder)	DAC with Preamp	€ 11.400



Valid from March 1st 2017

REFERENCE SERIES

RP-102



SPECIFICATIONS

Product Type:	Phonostage
Inputs:	1xXLR analog / 1xRCA analog
Input Sensitivity:	MM/MC
Input Impedance:	Switchable 10Ω-47kΩ
Outputs:	1xXLR analog / 1xRCA analog
Remote Control:	Sold separately
Power Cable:	Not included
Dimensions Phonostage:	100(H) x 435(W) x 377(D)mm
Weight Phonostage:	10Kg
Dimensions PSU:	71(H) x 176(W) x 280(D)mm
Weight PSU:	4Kg


ITEM#	MODEL	DESCRIPTION	RETAIL
410412	RP-102-Silver	Phonostage	€ 11.500
410410	RP-102-Black	Phonostage	€ 11.500
410411	RP-102-White(madetoorder)	Phonostage	€ 13.225
410413	RP-102-Champagne(madetoorder)	Phonostage	€ 13.225
410414	RP-102-Bespoke(madetoorder)	Phonostage	€ 13.800



Valid from March 1st 2017

REFERENCE SERIES

RL-102



SPECIFICATIONS

Product Type:	Linestage
Volume:	Relay controlled fixed resistor network
Inputs:	3xXLR analog / 2xRCA analog
Input Impedance:	10kΩ
Input Sensitivity:	2/4/8V RMS
Outputs:	1xXLR analog / 1xRCA analog
Remote Control:	Apple Remote Included
Power Cable:	Not included
Dimensions:	100(H) x 435(W) x 377(D)mm
Weight:	11Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
410312	RL-102-Silver	Linestage	€ 9.500
410310	RL-102-Black	Linestage	€ 9.500
410311	RL-102-White(madetoorder)	Linestage	€ 10.925
410313	RL-102-Champagne(madetoorder)	Linestage	€ 10.925
410314	RL-102-Bespoke(madetoorder)	Linestage	€ 11.400




Valid from March 1st 2017

REFERENCE SERIES

RI-100



RI-100



INTEGRATED AMPLIFIER

SPECIFICATIONS

Product Type:	Stereo Integrated Amplifier
Volume:	Relay controlled fixed resistor network
Inputs:	3xXLR analog / 2xRCA analog
Input Impedance:	22kΩ
Input Sensitivity:	0,7V RMS RCA) / 1,4V RMS (XLR)
Outputs:	1x set balanced speaker out / 1x preout
Output Power:	2x300w rms(8Ω) / 2x600w rms (4Ω)
Remote Control:	Apple Remote Included
Power Cable:	Not included
Dimensions:	182(H) x 435(W) x 430(D)mm
Weight:	37Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
410502	RI-100-Silver	Integrated Amplifier	€ 11.000
410500	RI-100-Black	Integrated Amplifier	€ 11.000
410501	RI-100-White(madetoorder)	Integrated Amplifier	€ 12.650
410503	RI-100-Champagne(madetoorder)	Integrated Amplifier	€ 12.650
410504	RI-100-Bespoke(madetoorder)	Integrated Amplifier	€ 13.200
410505	RI-100-DAC	Integrated Amplifier Option	€ 2.000

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

REFERENCE SERIES

RS-100



RS-100



POWER AMPLIFIER

SPECIFICATIONS

Product Type:	Stereo Power Amplifier
Inputs:	1xXLR analog / 1xRCA analog
Input Impedance:	10kΩ
Input Sensitivity:	0,7V RMS (RCA) / 1,4V RMS (XLR)
Outputs:	1x set balanced speaker out
Output Power:	2x300w rms (8Ω) / 2x600w rms (4Ω)
Remote Control:	Apple Remote Included
Power Cable:	Not included
Dimensions:	182(H) x 435(W) x 430(D)mm
Weight:	37Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
410602	RS-100-Silver	Power Amplifier - Stereo	€ 10.500
410600	RS-100-Black	Power Amplifier - Stereo	€ 10.500
410601	RS-100-White(madetoorder)	Power Amplifier - Stereo	€ 12.075
410603	RS-100-Champagne(madetoorder)	Power Amplifier - Stereo	€ 12.075
410604	RS-100-Bespoke(madetoorder)	Power Amplifier - Stereo	€ 12.600



Valid from March 1st 2017

**REFERENCE SERIES
RECOMMENDED FEET**



Reference Series | HIGH END

MODEL



Stillpoints-UltraSS



Stillpoints-Ultra5



Stillpoints-Ultra6

special offers on recommended feet are only valid when ordered together with Vitus Audio products

ITEM#	MODEL	DESCRIPTION	RETAIL
702009	Stillpoints-UltraSS-w/o Base-Silver	one piece-without base	€ 250
702119	Stillpoints-UltraSS-w/o Base-Black	one piece-without base	€ 300
702015	Stillpoints-Ultra5-w/o Base-Silver	one piece-without base	€ 700
702122	Stillpoints-Ultra5-w/o Base-Black	one piece-without base	€ 800
702019	Stillpoints-Ultra6-w/o Base	one piece-without base	€ 900
702020	Stillpoints-Ultra6-with Base	one piece-with base	€ 950
702022	Stillpoints-Ultra Base-Silver	one piece-optional base for feet	€ 70
702123	Stillpoints-Ultra Base-Black	one piece-optional base for feet	€ 85

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

REFERENCE SERIES
SHIPPING DIMENSIONS



Reference Series | *HIGH END*

MODEL	DESCRIPTION	DIMENSIONS	WEIGHT	QUANTITY
VitusAudio-RCD-101	CD-Playerwith DAC	280(H)x570(W)x600(D)mm	16,00kg	1xbox
VitusAudio-RD-100	DAC with Preamp	280(H)x570(W)x600(D)mm	15,50kg	1xbox
VitusAudio-RP-102	Phonostage	350(H)x570(W)x600(D)mm	17,00kg	1xbox
VitusAudio-RL-102	Linestage	280(H)x570(W)x600(D)mm	15,00kg	1xbox
VitusAudio-RI-100	Integrated Amplifier	350(H)x570(W)x600(D)mm	41,00kg	1xbox
VitusAudio-RS-100	Power Amplifier-Stereo	350(H)x570(W)x600(D)mm	40,00kg	1xbox



Valid from March 1st 2017

SIGNATURE SERIES

SCD-025 mkII



SCD-025
mk. II



CD PLAYER / DAC

SPECIFICATIONS

Product Type:	Balanced CD-Player (Redbook) / DAC
CD Mechanism:	Philips CDPro2 LF (heavily modified by VA)
Master Clock / DAC:	VA Module / DAC: 2x AD1955-monomode configuration
Samplerate Module:	Engineered Q8-up to 384 KHz samplerate
Digital Inputs:	1xDigital RCA (S/PDIF) / 1xDigital XLR (AES/EBU)
Digital Inputs:	1xUSB Class A/B - Supports up to DSD 128,32 bit 384KHz PCM
Digital Outputs:	1xDigital RCA (S/PDIF) / 1xDigital XLR (AES/EBU)
Analog Outputs:	1xXLR analog / 1xRCA analog
Remote Control:	Standard Philips alu remote included / Also controlable with VA RC-010 remote
Power Cable:	Not included
Dimensions:	130(H) x 435(W) x 430(D)mm
Weight:	26Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
420104	SCD-025mkII-Silver	CD-Player with DAC	€ 19.000
420102	SCD-025mkII-Black	CD-Player with DAC	€ 19.000
420103	SCD-025mkII-White(madetoorder)	CD-Player with DAC	€ 21.850
420105	SCD-025mkII-Champagne(madetoorder)	CD-Player with DAC	€ 21.850
420106	SCD-025mkII-Bespoke(madetoorder)	CD-Player with DAC	€ 22.800

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

SIGNATURE SERIES

SP-103



SP-103



PHONOSTAGE

SPECIFICATIONS

Product Type:	True balanced Phonostage
Inputs:	1xXLR analog / 1xRCA analog
Load options:	3Ω - 47KΩ (see load setting)
Input Sensitivity:	Range 125μV - 16mV (see gain setting)
Type of Gain:	Floating gain based on cartridge output
Outputs:	1xXLR analog / 1xRCA analog
Remote Control:	Sold separately
Power Cable:	Not included
Dimensions Phonostage:	135(H) x 435(W) x 402(D)mm
Weight Phonostage:	21,2Kg
Dimensions PSU:	111(H) x 250(W) x 257(D)mm
Weight PSU:	5,2Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
420408	SP-103-Silver	Phonostage	€ 32.000
420406	SP-103-Black	Phonostage	€ 32.000
420407	SP-103-White(madetoorder)	Phonostage	€ 36.800
420409	SP-103-Champagne(madetoorder)	Phonostage	€ 36.800
420410	SP-103-Bespoke(madetoorder)	Phonostage	€ 38.400

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

SIGNATURE SERIES

SL-103



SL-103



LINESTAGE

SPECIFICATIONS

Product Type:	True balanced Linestage
Volume:	Relay controled fixed resistor network
Inputs:	3xXLR analog / 2xRCA analog
Input Impedance:	10KΩ
Input Sensitivity:	2/4/8V RMS
Outputs:	2xXLR analog / 2xRCA analog / 1xBP out
Remote Control:	VARC-010 remote included
Power Cable:	Not included
Dimensions:	135(H) x 435(W) x 402(D)mm
Weight:	25Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
420306	SL-103-Silver	Linestage	€ 29.000
420304	SL-103-Black	Linestage	€ 29.000
420305	SL-103-White(madetoorder)	Linestage	€ 33.350
420307	SL-103-Champagne(madetoorder)	Linestage	€ 33.350
420308	SL-103-Bespoke(madetoorder)	Linestage	€ 34.800

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

SIGNATURE SERIES

SIA-025mkII



SIA-025
mk. II



INTEGRATED AMPLIFIER

SPECIFICATIONS

Product Type:	Balanced Integrated Amplifier
Volume:	Relay controled fixed resistor network
Inputs:	3xXLR analog / 2xRCA analog
Input Impedance:	10KΩ
Input Sensitivity:	2/4/8V RMS
Outputs:	1x set balanced speake rout / 1xpreout (XLR)
Output Power:	2x25w rms ClassA (8Ω) / 2x150w rms ClassAB (8Ω) - switchable
Remote Control:	VA RC-010 remote included
Power Cable:	Not included
Dimensions:	130(H) x 435(W) x 430(D)mm
Weight:	38Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
420508	SIA-025mkII-Silver	Integrated Amplifier	€ 21.000
420506	SIA-025mkII-Black	Integrated Amplifier	€ 21.000
420507	SIA-025mkII-White(madetoorder)	Integrated Amplifier	€ 24.150
420509	SIA-025mkII-Champagne(madetoorder)	Integrated Amplifier	€ 24.150
420510	SIA-025mkII-Bespoke(madetoorder)	Integrated Amplifier	€ 25.200

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017


SIGNATURE SERIES

SIA-030



Picture showing SS-103

SIA-030



INTEGRATED AMPLIFIER

TO BE INTRODUCED

IN 4Q2017

SPECIFICATIONS

Product Type:	Balanced Integrated Amplifier
Volume:	TBA
Inputs:	TBA
Input Impedance:	TBA
Input Sensitivity:	TBA
Outputs:	TBA
Output Power:	TBA
Remote Control:	TBA
Power Cable:	Not included
Dimensions:	195(H) x 435(W) x 430(D)mm
Weight:	00Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
420513	SIA-030-Silver-(TBA)	Integrated Amplifier	€ -
420511	SIA-030-Black-(TBA)	Integrated Amplifier	€ -
420512	SIA-030-White-(TBA)	Integrated Amplifier	€ -
420514	SIA-030-Champagne-(TBA)	Integrated Amplifier	€ -
420515	SIA-030-Bespoke-(TBA)	Integrated Amplifier	€ -

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

SIGNATURE SERIES

SS-025



SS-025



STEREO POWER AMPLIFIER

SPECIFICATIONS

Product Type:	Stereo balanced Power Amplifier
Inputs:	1xXLR analog / 1xRCA analog
Input Impedance:	10KΩ
Input Sensitivity:	0,7V rms XLR / 1,4V rms RCA
Outputs:	1x set balanced speaker out
Output Power:	2x15w rms ClassA (8Ω) / 2x300w rms ClassAB (8Ω) - switchable
Output Power:	2x25w rms ClassA (4 Ω) / 2x600w rms ClassAB (4Ω) - switchable
Remote Control:	Sold separately
Power Cable:	Not included
Dimensions:	130(H) x 435(W) x 430(D)mm
Weight:	42Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
420602	SS-025-Silver	Power Amplifier-Stereo	€ 21.000
420600	SS-025-Black	Power Amplifier-Stereo	€ 21.000
420601	SS-025-White(madetoorder)	Power Amplifier-Stereo	€ 24.150
420603	SS-025-Champagne(madetoorder)	Power Amplifier-Stereo	€ 24.150
420604	SS-025-Bespoke(madetoorder)	Power Amplifier-Stereo	€ 25.200

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16




Valid from March 1st 2017

SIGNATURE SERIES

SS-101



SS-101



POWER AMPLIFIER

SPECIFICATIONS

Product Type:	Stereo balanced Power Amplifier
Inputs:	1xXLR analog / 1xRCA analog
Input Impedance:	10K Ω
Input Sensitivity:	0,7V rms XLR / 1,4V rms RCA
Outputs:	1x set balanced speaker out
Output Power:	2x50w rms ClassA (8 Ω) / 100w rms ClassAB (8 Ω) - switchable
Remote Control:	VA RC-010 remote included
Power Cable:	Not included
Dimensions:	310(H) x 435(W) x 610(D)mm
Weight:	85Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
420610	SS-101-Black	Power Amplifier-Stereo	€ 34.000




Valid from March 1st 2017

SIGNATURE SERIES

SS-103



SS-103



POWER AMPLIFIER

SPECIFICATIONS

Product Type:	Stereo balanced Power Amplifier
Inputs:	1xXLR analog / 1xRCA analog
Input Impedance:	10KΩ
Input Sensitivity:	0,7V rms XLR / 1,4V rms RCA
Outputs:	1x set balanced speaker out
Output Power:	2x50w rms ClassA (8Ω) / 150w rms ClassAB (8Ω) - switchable
Other Options:	Sound mode Rock / Sound mode Classic from VA MP-S201 included
Remote Control:	Sold separately
Power Cable:	Not included
Dimensions:	310(H) x 435(W) x 610(D)mm
Weight:	85Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
420612	SS-103-Silver	Power Amplifier-Stereo	€ 34.000
420610	SS-103-Black	Power Amplifier-Stereo	€ 34.000
420611	SS-103-White(madetoorder)	Power Amplifier-Stereo	€ 39.100
420613	SS-103-Champagne(madetoorder)	Power Amplifier-Stereo	€ 39.100
420614	SS-103-Bespoke(madetoorder)	Power Amplifier-Stereo	€ 40.800

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16




Valid from March 1st 2017

SIGNATURE SERIES

SM-011



SM-011



MONAURAL POWER AMPLIFIER

SPECIFICATIONS

Product Type:	Mono balanced Power Amplifier
Inputs:	1xXLR analog / 1xRCA analog
Input Impedance:	10KΩ
Input Sensitivity:	0,7V rms XLR / 1,4V rms RCA
Outputs:	2x set balanced speaker out in parallel
Output Power:	2x40w rms ClassA (8Ω) / 200w rms ClassAB (8Ω) - switchable
OutputPower:	2x80w rms ClassA (4Ω) / 400w rms ClassAB (4Ω) - switchable
Ohter Options:	Sound mode Rock / Sound mode Classic from VA MP-S201 included
Remote Control:	Sold separately
Power Cable:	Not included
Dimensions:	130(H) x 435(W) x 430(D)mm (each)
Weight:	42Kg(each)

ITEM#	MODEL	DESCRIPTION	RETAIL
420704	SM-011-Silver	Power Amplifier-Mono	€ 42.000
420702	SM-011-Black	Power Amplifier-Mono	€ 42.000
420703	SM-011-White(madetoorder)	Power Amplifier-Mono	€ 48.300
420705	SM-011-Champagne(madetoorder)	Power Amplifier-Mono	€ 48.300
420706	SM-011-Bespoke(madetoorder)	Power Amplifier-Mono	€ 50.400

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16




Valid from March 1st 2017

SIGNATURE SERIES

SM-103



SM-103



MONAURAL POWER AMPLIFIER

TO BE INTRODUCED

IN MAY 2017

SPECIFICATIONS

Product Type:	Mono balanced Power Amplifier
Inputs:	1xXLR analog / 1xRCA analog
Input Impedance:	10KΩ
Input Sensitivity:	0,7V rms XLR / 1,4V rms RCA
Outputs:	2x set balanced speaker out in parallel
Output Power:	2x100w rms ClassA (8Ω) / 2x150w rms ClassAB (8Ω) - switchable
Other Options:	Sound mode Rock / Sound mode Classic from VA MP-S201 included
Remote Control:	Sold separately
Power Cable:	Not included
Dimensions:	280(H) x 435(W) x 610(D)mm(each)
Weight:	75Kg (each)

ITEM#	MODEL	DESCRIPTION	RETAIL
420716	SM-103-Silver	Power Amplifier-Mono	€ 56.000
420714	SM-103-Black	Power Amplifier-Mono	€ 56.000
420715	SM-103-White(madetoorder)	Power Amplifier-Mono	€ 64.400
420717	SM-103-Champagne(madetoorder)	Power Amplifier-Mono	€ 64.400
420718	SM-103-Bespoke(madetoorder)	Power Amplifier-Mono	€ 67.200

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

**SIGNATURE SERIES
RECOMMENDED FEET**



Signature Series | EXTREME

MODEL



Stillpoints-UltraSS



Stillpoints-Ultra5



Stillpoints-Ultra6

special offers on recommended feet are only valid when ordered together with Vitus Audio products

ITEM#	MODEL	DESCRIPTION	RETAIL
702009	Stillpoints-UltraSS-w/o Base-Silver	one piece-without base	€ 250
702119	Stillpoints-UltraSS-w/o Base-Black	one piece-without base	€ 300
702015	Stillpoints-Ultra5-w/o Base-Silver	one piece-without base	€ 700
702122	Stillpoints-Ultra5-w/o Base-Black	one piece-without base	€ 800
702019	Stillpoints-Ultra6-w/o Base	one piece-without base	€ 900
702020	Stillpoints-Ultra6-with Base	one piece-with base	€ 950
702022	Stillpoints-Ultra Base-Silver	one piece-optional base for feet	€ 70
702123	Stillpoints-Ultra Base-Black	one piece-optional base for feet	€ 85

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

SIGNATURE SERIES
SHIPPING DIMENSIONS



Signature Series | *EXTREME*

MODEL	DESCRIPTION	DIMENSIONS	WEIGHT	QUANTITY
VitusAudioSCD-025	CD-Playerwith DAC	350(H)x570(W)x600(D)mm	30,50kg	1xbox
VitusAudioSP-103	Phonostage	350(H)x570(W)x600(D)mm	33,40kg	1xbox
VitusAudioSL-103	Linestage	350(H)x570(W)x600(D)mm	31,00kg	1xbox
VitusAudioSIA-025	Integrated Amplifier	350(H)x570(W)x600(D)mm	42,00kg	1xbox
VitusAudioSIA-030	Integrated Amplifier	000(H)x000(W)x000(D)mm	00kg	1xbox
VitusAudioSS-025	Power Amplifier-Stereo	350(H)x570(W)x600(D)mm	42,00kg	1xbox
VitusAudioSS-103	Power Amplifier-Stereo	550(H)x560(W)x730(D)mm	98,60kg	1xcrate
VitusAudioSM-011	Power Amplifier-Mono	350(H)x570(W)x600(D)mm	46,00kg	2xbox
VitusAudioSM-103	Power Amplifier-Mono	550(H)x560(W)x730(D)mm	88,60kg	2xcrate




Valid from March 1st 2017

MASTERPIECE SERIES

MP-P201mkII



MP-P201
mk. II



PHONOSTAGE

SPECIFICATIONS

Product type:	Twin chassis True balanced Phonostage
Inputs:	1xXLR analog / 1xRCA analog
Input Sensitivity:	125 μ V - 16mV
Input Impedance:	3 Ω - 10 Ω
Outputs:	1xXLR analog / 1xRCA analog
Remote Control:	Sold separately
Power Cable:	Not included
Dimensions PSU:	130(H) x 435(W) x 430(D)mm
Dimensions AMP:	130(H) x 435(W) x 430(D)mm
Weight PSU:	35Kg
Weight AMP:	21Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
430405	MP-P201mkII-Silver	Phonostage	€ 45.000
430403	MP-P201mkII-Black	Phonostage	€ 45.000
430404	MP-P201mkII-White(madetoorder)	Phonostage	€ 51.750
430406	MP-P201mkII-Champagne(madetoorder)	Phonostage	€ 51.750
430407	MP-P201mkII-Bespoke(madetoorder)	Phonostage	€ 54.000

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

MASTERPIECE SERIES

MP-T201mkII



MP-T201



CD TRANSPORT

SPECIFICATIONS

Product Type:	CD-Transport (Redbook)
CD Mechanism:	Philips CDPro2 LF (Extremely Modified by VA)
Master Clock	VA Module
Samplerate / Resolution:	Engineered Q8-192Khz/24bit
Outputs:	1xDigital RCA (S/PDIF) / 1xDigital XLR (AES/EBU)
Remote Control:	Standard Philips alu remote included / Also controlable with VA RC-010 remote
Power Cable:	Notincluded
Dimensions:	130(H) x 435(W) x 430(D)mm
Weight:	28Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
430103	MP-T201mkII-Silver	CD Transport	€ 18.000
430101	MP-T201mkII-Black	CD Transport	€ 18.000
430102	MP-T201mkII-White(madetoorder)	CD Transport	€ 20.700
430104	MP-T201mkII-Champagne(madetoorder)	CD Transport	€ 20.700
430105	MP-T201mkII-Bespoke(madetoorder)	CD Transport	€ 21.600

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

MASTERPIECE SERIES

MP-D201mkII



MP-D201



DAC / PREAMP

SPECIFICATIONS

Product Type:	True balanced DAC/Preamp
Master Clock / DAC:	VA Module - upgradable / DAC: 4xAD1955 in mono configuration
Samplerate / Resolution:	792khz using Engineered Q8 DSP module/24bit
Inputs:	2xDigital RCA (S/PDIF) / 2xDigital XLR (AES/EBU) / 1xUSB (no DSD support)
Input Resistance:	Digital 110Ω XLR - 75Ω RCA / Analog10kΩ XLR - 10kΩ RCA
Outputs:	1xXLR analog / 1xRCA analog
Analog Options:	Analog volume control / 1xXLR analog + 1xRCA analog inputs
Remote Control:	Sold separately
Power Cable:	Not included
Dimensions:	130(H) x 435(W) x 430(D)mm
Weight:	25Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
430205	MP-D201mkII-Silver	DAC	€ 28.000
430203	MP-D201mkII-Black	DAC	€ 28.000
430204	MP-D201mkII-White(madetoorder)	DAC	€ 32.200
430206	MP-D201mkII-Champagne(madetoorder)	DAC	€ 32.000
430207	MP-D201mkII-Bespoke(madetoorder)	DAC	€ 33.600
430208	MP-D201mkII-Volume+AnalogInputs	DAC Option	€ 4.500

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16




Valid from March 1st 2017

MASTERPIECE SERIES

MP-L201mkII



MP-L201



LINESTAGE MK II

INTRODUCED 2Q17

SPECIFICATIONS

Product Type:	Twin chassis True balanced Linestage
Volume:	Relay controled fixed resistor network
Inputs:	3xXLR analog / 2xRCA analog
Input Sensitivity:	2/4/8V RMS
Input Impedance	10kΩ
Outputs:	2xXLR analog / 2xRCA analog / 1xRCA Bypass
Other Options:	Active crossover module
Remote Control:	VA RC-010 remote included
Power Cable:	Not included
Dimensions PSU:	135(H) x 435(W) x 402(D)mm
Dimensions AMP:	135(H) x 435(W) x 402(D)mm
Weight PSU:	35Kg
Weight AMP:	21Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
430305	MP-L201mkII-Silver	Linestage	€ 52.000
430303	MP-L201mkII-Black	Linestage	€ 52.000
430304	MP-L201mkII-White(madetoorder)	Linestage	€ 59.800
430306	MP-L201mkII-Champagne(madetoorder)	Linestage	€ 59.800
430306	MP-L201mkII-Bespoke(madetoorder)	Linestage	€ 62.400


RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

MASTERPIECE SERIES

MP-I201



SPECIFICATIONS

Product Type:	Balanced Integrated Amplifier
Volume:	Relay controlled fixed resistor network
Inputs:	3xXLR analog / 2xRCA analog
Input Impedance:	10K Ω
Input Sensitivity:	2V - 8V RMS
Outputs:	1x set balanced speaker out
Output Power:	2x25w rms ClassA (8 Ω) / 2x700w rms ClassAB(8 Ω) - switchable
Remote Control:	VA RC-010 remote included
Power Cable:	Not included
Dimensions:	430(H) x 505(W) x 708(D)mm
Weight:	126Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
430502	MP-I201-Silver	Integrated Amplifier	€ 100.000
430500	MP-I201-Black	Integrated Amplifier	€ 100.000
430501	MP-I201-White(madetoorder)	Integrated Amplifier	€ 115.000
430503	MP-I201-Champagne(madetoorder)	Integrated Amplifier	€ 115.000
430504	MP-I201-Bespoke(madetoorder)	Integrated Amplifier	€ 120.000


RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

MASTERPIECE SERIES

MP-S201



SPECIFICATIONS

Product Type:	Stereo Balanced Power Amplifier
Inputs:	2xXLR analog (1per channel) / 1xXLR analog for mono mode
Input Impedance:	10KΩ
Input Sensitivity:	0,7V rms
Outputs:	1x set balanced speaker out
Output Power:	2x25w rms ClassA (8Ω) / 2x700w rms ClassAB (8Ω) - switchable
Remote Control:	N/A
Power Cable:	Not included
Dimensions:	430(H) x 505(W) x 708(D)mm
Weight:	125Kg

ITEM#	MODEL	DESCRIPTION	RETAIL
430602	MP-S201-Silver	Power Amplifier-Stereo	€ 85.000
430600	MP-S201-Black	Power Amplifier-Stereo	€ 85.000
430601	MP-S201-White(madetoorder)	Power Amplifier-Stereo	€ 97.750
430603	MP-S201-Champagne(madetoorder)	Power Amplifier-Stereo	€ 97.750
430604	MP-S201-Bespoke(madetoorder)	Power Amplifier-Stereo	€ 102.000

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16




Valid from March 1st 2017

MASTERPIECE SERIES

MP-M201mkII



MP-M201



MONAURAL POWER AMPLIFIER

SPECIFICATIONS

Product Type:	Twin chassis True Balanced Mono Power Amplifier
Inputs:	1xXLR analog
Input Impedance:	10KΩ
Input Sensitivity:	0,7V RMS
Outputs:	1x set balanced speaker out
Output Power High Frequencies:	2x100w rms ClassA (8Ω) / 2x300 w rms ClassAB (8Ω) - switchable
Output Power Low Frequencies:	2x500 w rms ClassAB (8Ω)
Other Options:	Active crossover module designed for large speaker systems with bass towers
Remote Control:	N/A
Power Cable:	Not included
Dimensions PSU / AMP:	240(H) x 435(W) x 610(D)mm- each chassis (4 chassis in total)
Weight PSU:	100Kg each- 2 pieces
Weight AMP:	50Kg each - 2 pieces

ITEM#	MODEL	DESCRIPTION	RETAIL
430703	MP-M201mkII-Silver	Power Amplifier-Mono	€ 135.000
430700	MP-M201mkII-Black	Power Amplifier-Mono	€ 135.000
430701	MP-M201mkII-White(madetoorder)	Power Amplifier-Mono	€ 155.250
430704	MP-M201mkII-Champagne(madetoorder)	Power Amplifier-Mono	€ 155.250
430705	MP-M201mkII-Bespoke(madetoorder)	Power Amplifier-Mono	€ 162.000

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

**MASTERPIECESERIES
RECOMMENDED FEET**



Masterpiece Series | *SUPREME*

MODEL



Stillpoints-UltraSS



Stillpoints-Ultra5



Stillpoints-Ultra6

special offers on recommended feet are only valid when ordered together with Vitus Audio products

ITEM#	MODEL	DESCRIPTION	RETAIL
702009	Stillpoints-UltraSS-w/o Base-Silver	one piece-without base	€ 250
702119	Stillpoints-UltraSS-w/o Base-Black	one piece-withou tbase	€ 300
702015	Stillpoints-Ultra5-w/o Base-Silver	one piece-without base	€ 700
702122	Stillpoints-Ultra5-w/o Base-Black	one piece-without base	€ 800
702019	Stillpoints-Ultra6-w/o Base	one piece-without base	€ 900
702020	Stillpoints-Ultra6-with Base	one piece-with base	€ 950
702022	Stillpoints-Ultra Base-Silver	one piece-optional base for feet	€ 70
702123	Stillpoints-Ultra Base-Black	one piece-optional base for feet	€ 85

RCM Audio, 40-288 Katowice, ul.Czarnieckiego 17 tel. 32 206-40-16



Valid from March 1st 2017

MASTERPIECE SERIES

SHIPPING DIMENSIONS



Masterpiece Series | *SUPREME*

MODEL	DESCRIPTION	DIMENSIONS	WEIGHT	QUANTITY
VitusAudioMP-P201	Phonostage	350(H)x570(W)x600(D)mm	32,00kg	2xbox
VitusAudioMP-T201	CDTransport	350(H)x570(W)x600(D)mm	30,50kg	1xbox
VitusAudioMP-D201	DAC	350(H)x570(W)x600(D)mm	29,00kg	1xbox
VitusAudioMP-L201	Linestage	350(H)x570(W)x600(D)mm	32,00kg	2xbox
VitusAudioMP-I201	Integrated Amplifier	795(H)x630(W)x830(D)mm	147,00kg	1xcrate
VitusAudioMP-S201	Power Amplifier-Stereo	795(H)x630(W)x830(D)mm	147,00kg	1xcrate
VitusAudioMP-M201	Power Amplifier-Mono	550(H)x560(W)x730(D)mm	92,50kg	4xcrate